


A WIDE RANGE OF LINESCAN PRODUCTS


TO ANSWER ALL YOUR NEED



FRONTLIGHT



The illuminance in kLux is compared between the different linescan products at different working distances. All the measurements have been made with 600mm white lights.

FRONTLIGHT- PASSIVE COOLING



— EFFI-LINE3
 — EFFI-LINE3-FOC
 — EFFI-LINE-P1
 — EFFI-LINE-P2
 — EFFI-FLEX-TR-P3-LS
 — EFFI-FLEX-TR-P1-LS-CYL

FRONTLIGHT- ACTIVE COOLING





— EFFI-LINE3-PWR 
 — EFFI-LINE3-PWR-FOC 
 — EFFI-LINE-PWR-P1 
 — EFFI-LINE-PWR-P2 

— EFFI-FLEX-TR-P3-LS-ELS-1000 
 — EFFI-FLEX-TR-P1-LS-CYL-ELS-1000 

BACKLIGHT



The illuminance in kLux is compared between the different linescan products at different working distances. All the measurements have been made with 600mm white lights.

BACKLIGHT- PASSIVE COOLING



— EFFI-LINE3-BL — EFFI-LINE3-BL-FOC — EFFI-LINE-P1 — EFFI-LINE-P2 — EFFI-FLEX-BL — EFFI-FLEX-BL-TR-LS-CYL

BACKLIGHT- ACTIVE COOLING



— EFFI-LINE3-PWR-BL — EFFI-LINE3-PWR-BL-FOC — EFFI-LINE-PWR-P1 — EFFI-LINE-PWR-P2

WATER WATER AIR AIR

CONTACT INFORMATION

Please refer to the specific documentation (datasheet, user manual and drawing) for complementary information. Contents of this document are based on information available as of February-2024 and may be changed without prior notice.



EFFILUX
1, Rue de Terre Neuve
Mini Parc du Verger - Bâtiment E
91940 Les Ulis - FRANCE

Tel: +33 9 72 38 17 80
Fax: +33 9 72 11 21 69
Mail: sales@effilux.fr

Copyright 2024 Effilux - All rights Reserved