


A WIDE RANGE OF LINESCAN PRODUCTS



TO ANSWER ALL YOUR NEED



PASSIVE COOLING


ACTIVE COOLING




FRONTLIGHT

The illuminance in kLux is compared between the different linescan products at different working distances. All the measurements have been made with 600mm white lights.

FRONTLIGHT- PASSIVE COOLING





FRONTLIGHT- ACTIVE COOLING



BACKLIGHT



The illuminance in kLux is compared between the different linescan products at different working distances. All the measurements have been made with 600mm white lights.

BACKLIGHT- PASSIVE COOLING



— EFFI-LINE3-BL — EFFI-LINE3-BL-FOC — EFFI-LINE-P1 — EFFI-LINE-P2 — EFFI-FLEX-BL — EFFI-FLEX-BL-TR-LS-CYL

BACKLIGHT- ACTIVE COOLING



— EFFI-LINE3-PWR-BL — EFFI-LINE3-PWR-BL-FOC — EFFI-LINE-PWR-P1 — EFFI-LINE-PWR-P2

CONTACT INFORMATION

Please refer to the specific documentation (datasheet, user manual and drawing) for complementary information. Contents of this document are based on information available as of February-2024 and may be changed without prior notice.



EFFILUX
1, Rue de Terre Neuve
Mini Parc du Verger - Bâtiment E
91940 Les Ulis - FRANCE

Tel: +33 9 72 38 17 80
Fax: +33 9 72 11 21 69
Mail: sales@effilux.fr

Copyright 2024 Effilux - All rights Reserved