






QUICK INSTRUCTION GUIDE

- 1-MOUNT THE CAMERA ON THE EFFM-1-0025-STEEL-V2
- 2-MOUNT THE 2 PARTS TOGETHER
- 3-CHOOSE YOUR WORKING DISTANCE
- 4-MOUNT THE BRACKET ON THE LIGHT




LIGHT MOUNTING HOLES:
RING/SDOME/FD : 4x M4X8 (CHC SCREWS INCLUDED)
FD (D>39) : 4x M4X10 (CHC SCREWS NOT INCLUDED)

CAMERA MOUNTING HOLES:
4x M4 (SCREWS NOT INCLUDED)




WORKING DISTANCE ADJUSTMENT:
4x M4X6 (CHC SCREWS INCLUDED)



CAMERA BALUFF BVS		1 Rue de Terre Neuve Mini Parc du Verger Bâtiment E 91940 Les Ulis, France	
Designation EFFM-1-HORI-STEEL-V2		Mail: sales@effilux.fr Tel : +33 9 72 52 70 03 www.effilux.com	
Revision /	Date 15/11/2023	Unit : mm	General Tolerances
Scale 1:2	Size A3	Page 1/15	ISO 2768 - fH-E
			





QUICK INSTRUCTION GUIDE

- 1-MOUNT THE CAMERA ON THE EFFM-1-0025-STEEL-V2
- 2-MOUNT THE 2 PARTS TOGETHER
- 3-CHOOSE YOUR WORKING DISTANCE
- 4-MOUNT THE BRACKET ON THE LIGHT




LIGHT MOUNTING HOLES:
RING/SDOME/FD : 4x M4X8 (CHC SCREWS INCLUDED)
FD (D>39) : 4x M4X10 (CHC SCREWS NOT INCLUDED)

CAMERA MOUNTING HOLES:
4x M4 (SCREWS NOT INCLUDED)




WORKING DISTANCE ADJUSTMENT:
4x M4X6 (CHC SCREWS INCLUDED)



CAMERA COGNEX D900		1 Rue de Terre Neuve Mini Parc du Verger Bâtiment E 91940 Les Ulis, France	
Designation EFFM-1-HORI-STEEL-V2		Mail: sales@effilux.fr Tel : +33 9 72 52 70 03 www.effilux.com	
Revision /	Date 15/11/2023	Unit : mm	General Tolerances
Scale 1:2	Size A3	Page 2/15	ISO 2768 - fH-E
			


QUICK INSTRUCTION GUIDE

- 1-MOUNT THE CAMERA ON THE EFFM-1-0025-STEEL-V2
- 2-MOUNT THE 2 PARTS TOGETHER
- 3-CHOOSE YOUR WORKING DISTANCE
- 4-MOUNT THE BRACKET ON THE LIGHT






LIGHT MOUNTING HOLES:
RING/SDOME/FD : 4x M4X8 (CHC SCREWS INCLUDED)
FD (D>39) : 4x M4X10 (CHC SCREWS NOT INCLUDED)


CAMERA MOUNTING HOLES:
4x M4 (SCREWS NOT INCLUDED)



DETAIL 3



WORKING DISTANCE ADJUSTMENT:
4x M4X6 (CHC SCREWS INCLUDED)




CAMERA COGNEX IN-SIGHT 5000		1 Rue de Terre Neuve Mini Parc du Verger Bâtiment E 91940 Les Ulis, France	
Designation EFFM-1-HORI-STEEL-V2		Mail: sales@effilux.fr Tel : +33 9 72 52 70 03 www.effilux.com	
Revision /	Date 15/11/2023	Unit : mm	General Tolerances
Scale 1:2	Size A3	Page 3/15	ISO 2768 - fH-E
			

THIS DOCUMENT AND THE INFORMATION IT CONTAINS ARE PROPERTY OF
EFFILUX AND CONFIDENTIAL. THEY SHALL NOT BE REPRODUCED NOR
DISCLOSED TO ANY PERSON EXCEPT TO THOSE HAVING A NEED TO KNOW
THEM WITHOUT PRIOR WRITTEN CONSENT OF EFFILUX

CE DOCUMENT ET LES INFORMATIONS QU'IL CONTIENT SONT CONFIDENTIELS ET SONT LA
PROPRIÉTÉ EXCLUSIVE DE EFFILUX. ILS NE DOIVENT ÊTRE COMMUNIQUÉS QU'ÀUX
PERSONNES AYANT A EN CONNAÎTRE ET NE PEUVENT ÊTRE REPRODUITS NI DIVULGUÉS À
TOUTE AUTRE PERSONNE SANS AUTORISATION PRÉALABLE ÉCRITE PAR EFFILUX

QUICK INSTRUCTION GUIDE




- 1-MOUNT THE CAMERA ON THE EFFM-1-0025-STEEL-V2
- 2-MOUNT THE 2 PARTS TOGETHER
- 3-CHOOSE YOUR WORKING DISTANCE
- 4-MOUNT THE BRACKET ON THE LIGHT




LIGHT MOUNTING HOLES:
RING/SDOME/FD : 4x M4X8 (CHC SCREWS INCLUDED)
FD (D>39) : 4x M4X10 (CHC SCREWS NOT INCLUDED)

CAMERA MOUNTING HOLES:
4x M3 (SCREWS NOT INCLUDED)

DETAIL 4
SCALE 1 : 1



WORKING DISTANCE ADJUSTMENT:
4x M4X6 (CHC SCREWS INCLUDED)




CAMERA COGNEX IN-SIGHT 7000		1 Rue de Terre Neuve Mini Parc du Verger Bâtiment E 91940 Les Ulis, France	
Designation EFFM-1-HORI-STEEL-V2		Mail: sales@effilux.fr Tel : +33 9 72 52 70 03 www.effilux.com	
Revision /	Date 15/11/2023	Unit : mm	General Tolerances
Scale 1:2	Size A3	Page 4/15	ISO 2768 - fH-E
			

THIS DOCUMENT AND THE INFORMATION IT CONTAINS ARE PROPERTY OF EFFILUX AND CONFIDENTIAL. THEY SHALL NOT BE REPRODUCED NOR DISCLOSED TO ANY PERSON EXCEPT TO THOSE HAVING A NEED TO KNOW THEM WITHOUT PRIOR WRITTEN CONSENT OF EFFILUX

CE DOCUMENT ET LES INFORMATIONS QU'IL CONTIENT SONT CONFIDENTIELS ET SONT LA PROPRIÉTÉ EXCLUSIVE DE EFFILUX. ILS NE DOIVENT ÊTRE COMMUNIQUÉS QU'ÀUX PERSONNES AYANT A EN CONNAÎTRE ET NE PEUVENT ÊTRE REPRODUITS NI DIVULGUÉS À TOUTE AUTRE PERSONNE SANS AUTORISATION PRÉALABLE ÉCRITE PAR EFFILUX





QUICK INSTRUCTION GUIDE

- 1-MOUNT THE CAMERA ON THE EFFM-1-0025-STEEL-V2
- 2-MOUNT THE 2 PARTS TOGETHER
- 3-CHOOSE YOUR WORKING DISTANCE
- 4-MOUNT THE BRACKET ON THE LIGHT




LIGHT MOUNTING HOLES:
RING/SDOME/FD : 4x M4X8 (CHC SCREWS INCLUDED)
FD (D>39) : 4x M4X10 (CHC SCREWS NOT INCLUDED)

CAMERA MOUNTING HOLES:
4x M4 (SCREWS NOT INCLUDED)



WORKING DISTANCE ADJUSTMENT:
4x M4X6 (CHC SCREWS INCLUDED)




CAMERA				1 Rue de Terre Neuve	
COGNEX IN-SIGHT 9000				Mini Parc du Verger	
				Bâtiment E	
				91940 Les Ulis, France	
Designation				Mail: sales@effilux.fr	
EFFM-1-HORI-STEEL-V2				Tel : +33 9 72 52 70 03	
				www.effilux.com	
Revision /		Date 15/11/2023		Unit : mm	General Tolerances
Scale 1:2	Size A3	Page 5/15		ISO 2768 - fH-E	

THIS DOCUMENT AND THE INFORMATION IT CONTAINS ARE PROPERTY OF EFFILUX AND CONFIDENTIAL. THEY SHALL NOT BE REPRODUCED NOR DISCLOSED TO ANY PERSON EXCEPT TO THOSE HAVING A NEED TO KNOW THEM WITHOUT PRIOR WRITTEN CONSENT OF EFFILUX

CE DOCUMENT ET LES INFORMATIONS QU'IL CONTIENT SONT CONFIDENTIELS ET SONT LA PROPRIÉTÉ EXCLUSIVE DE EFFILUX. ILS NE DOIVENT ÊTRE COMMUNIQUÉS QU'ÀUX PERSONNES AYANT A EN CONNAÎTRE ET NE PEUVENT ÊTRE REPRODUITS NI DIVULGUÉS À TOUTE AUTRE PERSONNE SANS AUTORISATION PRÉALABLE ÉCRITE PAR EFFILUX





QUICK INSTRUCTION GUIDE

- 1-MOUNT THE CAMERA ON THE EFFM-1-0025-STEEL-V2
- 2-MOUNT THE 2 PARTS TOGETHER
- 3-CHOOSE YOUR WORKING DISTANCE
- 4-MOUNT THE BRACKET ON THE LIGHT




LIGHT MOUNTING HOLES:
RING/SDOME/FD : 4x M4X8 (CHC SCREWS INCLUDED)
FD (D>39) : 4x M4X10 (CHC SCREWS NOT INCLUDED)

CAMERA MOUNTING HOLES:
4x M3 (SCREWS NOT INCLUDED)



WORKING DISTANCE ADJUSTMENT:
4x M4X6 (CHC SCREWS INCLUDED)




CAMERA DATALOGIC A30		1 Rue de Terre Neuve Mini Parc du Verger Bâtiment E 91940 Les Ulis, France	
Designation EFFM-1-HORI-STEEL-V2		Mail: sales@effilux.fr Tel : +33 9 72 52 70 03 www.effilux.com	
Revision /	Date 15/11/2023	Unit : mm	General Tolerances
Scale 1:2	Size A3	Page 6/15	ISO 2768 - fH-E

THIS DOCUMENT AND THE INFORMATION IT CONTAINS ARE PROPERTY OF EFFILUX AND CONFIDENTIAL. THEY SHALL NOT BE REPRODUCED NOR DISCLOSED TO ANY PERSON EXCEPT TO THOSE HAVING A NEED TO KNOW THEM WITHOUT PRIOR WRITTEN CONSENT OF EFFILUX

CE DOCUMENT ET LES INFORMATIONS QU'IL CONTIENT SONT CONFIDENTIELS ET SONT LA PROPRIÉTÉ EXCLUSIVE DE EFFILUX. ILS NE DOIVENT ÊTRE COMMUNIQUÉS QU'ÀUX PERSONNES AYANT A EN CONNAÎTRE ET NE PEUVENT ÊTRE REPRODUITS NI DIVULGUÉS À TOUTE AUTRE PERSONNE SANS AUTORISATION PRÉALABLE ÉCRITE PAR EFFILUX

QUICK INSTRUCTION GUIDE





- 1-MOUNT THE CAMERA ON THE EFFM-1-0025-STEEL-V2
- 2-MOUNT THE 2 PARTS TOGETHER
- 3-CHOOSE YOUR WORKING DISTANCE
- 4-MOUNT THE BRACKET ON THE LIGHT




LIGHT MOUNTING HOLES:
RING/SDOME/FD : 4x M4X8 (CHC SCREWS INCLUDED)
FD (D>39) : 4x M4X10 (CHC SCREWS NOT INCLUDED)

CAMERA MOUNTING HOLES:
4x M4 (SCREWS NOT INCLUDED)

DETAIL 7
SCALE 1 : 1



WORKING DISTANCE ADJUSTMENT:
4x M4X6 (CHC SCREWS INCLUDED)




CAMERA				1 Rue de Terre Neuve Mini Parc du Verger Bâtiment E 91940 Les Ulis, France	
DATALOGIC P1X				Mail: sales@effilux.fr Tel : +33 9 72 52 70 03 www.effilux.com	
Designation		EFFM-1-HORI-STEEL-V2		Mail: sales@effilux.fr Tel : +33 9 72 52 70 03 www.effilux.com	
Revision /	Date 15/11/2023	Unit : mm	General Tolerances		
Scale 1:2	Size A3	Page 7/15	ISO 2768 - fH-E		

THIS DOCUMENT AND THE INFORMATION IT CONTAINS ARE PROPERTY OF EFFILUX AND CONFIDENTIAL. THEY SHALL NOT BE REPRODUCED NOR DISCLOSED TO ANY PERSON EXCEPT TO THOSE HAVING A NEED TO KNOW THEM WITHOUT PRIOR WRITTEN CONSENT OF EFFILUX

CE DOCUMENT ET LES INFORMATIONS QU'IL CONTIENT SONT CONFIDENTIELS ET SONT LA PROPRIETE EXCLUSIVE DE EFFILUX. ILS NE DOIVENT ETRE COMMUNIQUEES QU'aux PERSONNES AYANT A EN CONNAITRE ET NE PEUVENT ETRE REPRODUITS NI DIVULGUES A TOUTE AUTRE PERSONNE SANS AUTORISATION PREALABLE ECRITE PAR EFFILUX

QUICK INSTRUCTION GUIDE





- 1-MOUNT THE CAMERA ON THE EFFM-1-0025-STEEL-V2
- 2-MOUNT THE 2 PARTS TOGETHER
- 3-CHOOSE YOUR WORKING DISTANCE
- 4-MOUNT THE BRACKET ON THE LIGHT




LIGHT MOUNTING HOLES:
RING/SDOME/FD : 4x M4X8 (CHC SCREWS INCLUDED)
FD (D>39) : 4x M4X10 (CHC SCREWS NOT INCLUDED)

CAMERA MOUNTING HOLES:
4x M3 (SCREWS NOT INCLUDED)

DETAIL 8




WORKING DISTANCE ADJUSTMENT:
4x M4X6 (CHC SCREWS INCLUDED)



CAMERA				1 Rue de Terre Neuve Mini Parc du Verger Bâtiment E 91940 Les Ulis, France	
DATALOGIC T4X					
Designation				Mail: sales@effilux.fr Tel : +33 9 72 52 70 03 www.effilux.com	
EFFM-1-HORI-STEEL-V2					
Revision /		Date 15/11/2023		Unit : mm	
Scale 1:2		Size A3		General Tolerances	
Page 8/15				ISO 2768 - fH-E	
					





QUICK INSTRUCTION GUIDE

- 1-MOUNT THE CAMERA ON THE EFFM-1-0025-STEEL-V2
- 2-MOUNT THE 2 PARTS TOGETHER
- 3-CHOOSE YOUR WORKING DISTANCE
- 4-MOUNT THE BRACKET ON THE LIGHT




LIGHT MOUNTING HOLES:
RING/SDOME/FD : 4x M4X8 (CHC SCREWS INCLUDED)
FD (D>39) : 4x M4X10 (CHC SCREWS NOT INCLUDED)

CAMERA MOUNTING HOLES:
4x M4 (SCREWS NOT INCLUDED)




WORKING DISTANCE ADJUSTMENT:
4x M4X6 (CHC SCREWS INCLUDED)



CAMERA				1 Rue de Terre Neuve Mini Parc du Verger Bâtiment E 91940 Les Ulis, France	
MATROX GATOREYE					
Designation				Mail: sales@effilux.fr Tel : +33 9 72 52 70 03 www.effilux.com	
EFFM-1-HORI-STEEL-V2					
Revision /	Date 15/11/2023	Unit : mm	General Tolerances		
Scale 1:2	Size A3	Page 9/15	ISO 2768 - fH-E		





QUICK INSTRUCTION GUIDE

- 1-MOUNT THE CAMERA ON THE EFFM-1-0025-STEEL-V2
- 2-MOUNT THE 2 PARTS TOGETHER
- 3-CHOOSE YOUR WORKING DISTANCE
- 4-MOUNT THE BRACKET ON THE LIGHT




LIGHT MOUNTING HOLES:
RING/SDOME/FD : 4x M4X8 (CHC SCREWS INCLUDED)
FD (D>39) : 4x M4X10 (CHC SCREWS NOT INCLUDED)

CAMERA MOUNTING HOLES:
4x M4 (SCREWS NOT INCLUDED)




WORKING DISTANCE ADJUSTMENT:
4x M4X6 (CHC SCREWS INCLUDED)



CAMERA MATROX IRIS GT				1 Rue de Terre Neuve Mini Parc du Verger Bâtiment E 91940 Les Ulis, France	
Designation EFFM-1-HORI-STEEL-V2				Mail: sales@effilux.fr Tel : +33 9 72 52 70 03 www.effilux.com	
Revision /	Date 15/11/2023	Unit : mm	General Tolerances		
Scale 1:2	Size A3	Page 10/15	ISO 2768 - fH-E		

QUICK INSTRUCTION GUIDE





- 1-MOUNT THE CAMERA ON THE EFFM-1-0025-STEEL-V2
- 2-MOUNT THE 2 PARTS TOGETHER
- 3-CHOOSE YOUR WORKING DISTANCE
- 4-MOUNT THE BRACKET ON THE LIGHT




LIGHT MOUNTING HOLES:
RING/SDOME/FD : 4x M4X8 (CHC SCREWS INCLUDED)
FD (D>39) : 4x M4X10 (CHC SCREWS NOT INCLUDED)

CAMERA MOUNTING HOLES:
4x M4 (SCREWS NOT INCLUDED)

DETAIL 11




WORKING DISTANCE ADJUSTMENT:
4x M4X6 (CHC SCREWS INCLUDED)



CAMERA MATROX IRIS GTR		1 Rue de Terre Neuve Mini Parc du Verger Bâtiment E 91940 Les Ulis, France	
Designation EFFM-1-HORI-STEEL-V2		Mail: sales@effilux.fr Tel : +33 9 72 52 70 03 www.effilux.com	
Revision /	Date 15/11/2023	Unit : mm	General Tolerances
Scale 1:2	Size A3	Page 11/15	ISO 2768 - fH-E
			

QUICK INSTRUCTION GUIDE





- 1-MOUNT THE CAMERA ON THE EFFM-1-0025-STEEL-V2
- 2-MOUNT THE 2 PARTS TOGETHER
- 3-CHOOSE YOUR WORKING DISTANCE
- 4-MOUNT THE BRACKET ON THE LIGHT




LIGHT MOUNTING HOLES:
RING/SDOME/FD : 4x M4X8 (CHC SCREWS INCLUDED)
FD (D>39) : 4x M4X10 (CHC SCREWS NOT INCLUDED)

CAMERA MOUNTING HOLES:
3x M4 (SCREWS NOT INCLUDED)

DETAIL 12




WORKING DISTANCE ADJUSTMENT:
4x M4X6 (CHC SCREWS INCLUDED)



CAMERA				1 Rue de Terre Neuve Mini Parc du Verger Bâtiment E 91940 Les Ulis, France	
SICK INSPECTOR				Mail: sales@effilux.fr Tel : +33 9 72 52 70 03 www.effilux.com	
Designation				EFFM-1-HORI-STEEL-V2	
Revision /	Date 15/11/2023	Unit : mm	General Tolerances		
Scale 1:2	Size A3	Page 12/15	ISO 2768 - fH-E		

QUICK INSTRUCTION GUIDE





- 1-MOUNT THE CAMERA ON THE EFFM-1-0025-STEEL-V2
- 2-MOUNT THE 2 PARTS TOGETHER
- 3-CHOOSE YOUR WORKING DISTANCE
- 4-MOUNT THE BRACKET ON THE LIGHT




LIGHT MOUNTING HOLES:
RING/SDOME/FD : 4x M4X8 (CHC SCREWS INCLUDED)
FD (D>39) : 4x M4X10 (CHC SCREWS NOT INCLUDED)

CAMERA MOUNTING HOLES:
4x M4 (SCREWS NOT INCLUDED)

DETAIL 13




WORKING DISTANCE ADJUSTMENT:
4x M4X6 (CHC SCREWS INCLUDED)



CAMERA SICK INSPECTOR P63X		1 Rue de Terre Neuve Mini Parc du Verger Bâtiment E 91940 Les Ulis, France	
Designation EFFM-1-HORI-STEEL-V2		Mail: sales@effilux.fr Tel : +33 9 72 52 70 03 www.effilux.com	
Revision /	Date 15/11/2023	Unit : mm	General Tolerances
Scale 1:2	Size A3	Page 13/15	ISO 2768 - fH-E
			





QUICK INSTRUCTION GUIDE

- 1-MOUNT THE CAMERA ON THE EFFM-1-0025-STEEL-V2
- 2-MOUNT THE 2 PARTS TOGETHER
- 3-CHOOSE YOUR WORKING DISTANCE
- 4-MOUNT THE BRACKET ON THE LIGHT




LIGHT MOUNTING HOLES:
RING/SDOME/FD : 4x M4X8 (CHC SCREWS INCLUDED)
FD (D>39) : 4x M4X10 (CHC SCREWS NOT INCLUDED)

CAMERA MOUNTING HOLES:
4x M4 (SCREWS NOT INCLUDED)




WORKING DISTANCE ADJUSTMENT:
4x M4X6 (CHC SCREWS INCLUDED)



CAMERA		1 Rue de Terre Neuve Mini Parc du Verger Bâtiment E 91940 Les Ulis, France	
SICK INSPECTOR P64X - P65X		Mail: sales@effilux.fr Tel : +33 9 72 52 70 03 www.effilux.com	
Designation		EFFM-1-HORI-STEEL-V2	
Revision /	Date 15/11/2023	Unit : mm	General Tolerances
Scale 1:2	Size A3	Page 14/15	ISO 2768 - fH-E
			

QUICK INSTRUCTION GUIDE




- 1-MOUNT THE CAMERA ON THE EFFM-1-0025-STEEL-V2
- 2-MOUNT THE 2 PARTS TOGETHER
- 3-CHOOSE YOUR WORKING DISTANCE
- 4-MOUNT THE BRACKET ON THE LIGHT




LIGHT MOUNTING HOLES:
RING/SDOME/FD : 4x M4X8 (CHC SCREWS INCLUDED)
FD (D>39) : 4x M4X10 (CHC SCREWS NOT INCLUDED)

CAMERA MOUNTING HOLES:
4x M3 (SCREWS NOT INCLUDED)

DETAIL 15



WORKING DISTANCE ADJUSTMENT:
4x M4X6 (CHC SCREWS INCLUDED)



CAMERA				1 Rue de Terre Neuve	
ZEBRA-AS-000447-XX				Mini Parc du Verger	
				Bâtiment E	
				91940 Les Ulis, France	
Designation				Mail: sales@effilux.fr	
EFFM-1-HORI-STEEL-V2				Tel : +33 9 72 52 70 03	
				www.effilux.com	
Revision /		Date 15/11/2023		Unit : mm	General Tolerances
Scale 1:2	Size A3	Page 15/15			ISO 2768 - fH-E
					