





QUICK INSTRUCTION GUIDE

- 1-MOUNT THE CAMERA ON THE EFFM-1-0026-STEEL-V2
- 2-MOUNT THE 2 PARTS TOGETHER
- 3-CHOOSE YOUR WORKING DISTANCE
- 4-MOUNT THE BRACKET ON THE LIGHT







CAMERA MOUNTING HOLES:
2x M4 (SCREWS NOT INCLUDED)

DETAIL 1
SCALE 1 : 1

CAMERA				1 Rue de Terre Neuve Mini Parc du Verger Bâtiment E 91940 Les Ulis, France	
BASLER ACE 2 SERIES					
Designation				Mail: sales@effilux.fr Tel : +33 9 72 52 70 03 www.effilux.com	
EFFM-1-VERT-STEEL-V2					
Revision /		Date 16/11/2023	Unit : mm	General Tolerances	
Scale 1:2	Size A3	Page 1/27		ISO 2768 - fH-E	

QUICK INSTRUCTION GUIDE

- 1-MOUNT THE CAMERA ON THE EFFM-1-0026-STEEL-V2
- 2-MOUNT THE 2 PARTS TOGETHER
- 3-CHOOSE YOUR WORKING DISTANCE
- 4-MOUNT THE BRACKET ON THE LIGHT






CAMERA MOUNTING HOLES:
4x M3 (SCREWS NOT INCLUDED)

DETAIL 2
SCALE 1 : 1

CAMERA				1 Rue de Terre Neuve Mini Parc du Verger Bâtiment E 91940 Les Ulis, France	
Designation				Mail: sales@effilux.fr Tel : +33 9 72 52 70 03 www.effilux.com	
EFFM-1-VERT-STEEL-V2					
Revision /		Date 16/11/2023	Unit : mm	General Tolerances	
Scale 1:2	Size A3	Page 2/27		ISO 2768 - fH-E	

CE DOCUMENT ET LES INFORMATIONS QU'IL CONTIENT SONT CONFIDENTIELS ET SONT LA PROPRIÉTÉ EXCLUSIVE DE EFFILUX. ILS NE DOIVENT ÊTRE COMMUNIQUÉS QU'ÀUX PERSONNES AYANT À EN CONNAÎTRE ET NE PEUVENT ÊTRE REPRODUITS NI DIVULGUÉS À TOUTE AUTRE PERSONNE SANS AUTORISATION PRÉALABLE ÉCRITE PAR EFFILUX.

- 1-MOUNT THE CAMERA ON THE EFFM-1-0026-STEEL-V2
- 2-MOUNT THE 2 PARTS TOGETHER
- 3-CHOOSE YOUR WORKING DISTANCE
- 4-MOUNT THE BRACKET ON THE LIGHT



WORKING DISTANCE ADJUSTMENT:
4x M4X6 (CHC SCREWS INCLUDED)

LIGHT MOUNTING HOLES:
RING/SDOME/FD : 4x M4X8 (CHC SCREWS INCLUDED)
FD (D>39) : 4x M4X10 (CHC SCREWS NOT INCLUDED))

CAMERA MOUNTING HOLES:
4x M3 (SCREWS NOT INCLUDED)

DETAIL 3
SCALE 1 : 1




CAMERA			BASLER SCOUT SERIES		1 Rue de Terre Neuve Mini Parc du Verger Bâtiment E 91940 Les Ulis, France
Designation					Mail: sales@effilux.fr Tel : +33 9 72 52 70 03 www.effilux.com
EFFM-1-VERT-STEEL-V2					
Revision /		Date 16/11/2023		Unit : mm	General Tolerances ISO 2768 - fH-E
Scale 1:2	Size A3	Page 3/27			
					

THIS DOCUMENT AND THE INFORMATION IT CONTAINS ARE PROPERTY OF EFFILUX AND CONFIDENTIAL. THEY SHALL NOT BE REPRODUCED NOR DISCLOSED TO ANY PERSON EXCEPT TO THOSE HAVING A NEED TO KNOW THEM WITHOUT PRIOR WRITTEN CONSENT OF EFFILUX

CE DOCUMENT ET LES INFORMATIONS QU'IL CONTIENT SONT CONFIDENTIELS ET SONT LA PROPRIÉTÉ EXCLUSIVE DE EFFILUX. ILS NE DOIVENT ÊTRE COMMUNIQUÉS QU'ÀUX PERSONNES AYANT A EN CONNAÎTRE ET NE PEUVENT ÊTRE REPRODUITS NI DIVULGUÉS À TOUTE AUTRE PERSONNE SANS AUTORISATION PRÉALABLE ÉCRITE PAR EFFILUX


QUICK INSTRUCTION GUIDE

- 1-MOUNT THE CAMERA ON THE EFFM-1-0026-STEEL-V2
- 2-MOUNT THE 2 PARTS TOGETHER
- 3-CHOOSE YOUR WORKING DISTANCE
- 4-MOUNT THE BRACKET ON THE LIGHT



WORKING DISTANCE ADJUSTMENT:
4x M4X6 (CHC SCREWS INCLUDED)

CAMERA MOUNTING HOLES:
4x M2.5 (SCREWS NOT INCLUDED)




DETAIL 4
SCALE 1 : 1

LIGHT MOUNTING HOLES:
RING/SDOME/FD : 4x M4X8 (CHC SCREWS INCLUDED)
FD (D>39) : 4x M4X10 (CHC SCREWS NOT INCLUDED)

EFFM-1-0024-STEEL-V2

EFFM-1-0026-STEEL-V2



COGNEX IN-SIGHT 2000




CAMERA				1 Rue de Terre Neuve Mini Parc du Verger Bâtiment E 91940 Les Ulis, France	
COGNEX IN-SIGHT 2000					
Designation				Mail: sales@effilux.fr Tel : +33 9 72 52 70 03 www.effilux.com	
EFFM-1-VERT-STEEL-V2					
Revision /		Date 16/11/2023		Unit : mm 	General Tolerances ISO 2768 - fH-E
Scale 1:2	Size A3	Page 4/27			
					

THIS DOCUMENT AND THE INFORMATION IT CONTAINS ARE PROPERTY OF EFFILUX AND CONFIDENTIAL. THEY SHALL NOT BE REPRODUCED NOR DISCLOSED TO ANY PERSON EXCEPT TO THOSE HAVING A NEED TO KNOW THEM WITHOUT PRIOR WRITTEN CONSENT OF EFFILUX

CE DOCUMENT ET LES INFORMATIONS QU'IL CONTIENT SONT CONFIDENTIELS ET SONT LA PROPRIETE EXCLUSIVE DE EFFILUX. ILS NE DOIVENT ETRE COMMUNIQUEES QU'aux PERSONNES AYANT A EN CONNAITRE ET NE PEUVENT ETRE REPRODUITS NI DIVULGUES A TOUTE AUTRE PERSONNE SANS AUTORISATION PREALABLE ECRITE PAR EFFILUX


QUICK INSTRUCTION GUIDE

- 1-MOUNT THE CAMERA ON THE EFFM-1-0026-STEEL-V2
- 2-MOUNT THE 2 PARTS TOGETHER
- 3-CHOOSE YOUR WORKING DISTANCE
- 4-MOUNT THE BRACKET ON THE LIGHT



WORKING DISTANCE ADJUSTMENT:
4x M4X6 (CHC SCREWS INCLUDED)

CAMERA MOUNTING HOLES:
4x M2.5 (SCREWS NOT INCLUDED)



DETAIL 5
SCALE 1 : 1

LIGHT MOUNTING HOLES:
RING/SDOME/FD : 4x M4X8 (CHC SCREWS INCLUDED)
FD (D>39) : 4x M4X10 (CHC SCREWS NOT INCLUDED)

EFFM-1-0024-STEEL-V2




EFFM-1-0026-STEEL-V2

COGNEX IN-SIGHT 8000

CAMERA				1 Rue de Terre Neuve Mini Parc du Verger Bâtiment E 91940 Les Ulis, France	
COGNEX IN-SIGHT 8000					
Designation				Mail: sales@effilux.fr Tel : +33 9 72 52 70 03 www.effilux.com	
EFFM-1-VERT-STEEL-V2					
Revision /		Date 16/11/2023	Unit : mm	General Tolerances	
Scale 1:2	Size A3	Page 5/27		ISO 2768 - fH-E	


QUICK INSTRUCTION GUIDE

- 1-MOUNT THE CAMERA ON THE EFFM-1-0026-STEEL-V2
- 2-MOUNT THE 2 PARTS TOGETHER
- 3-CHOOSE YOUR WORKING DISTANCE
- 4-MOUNT THE BRACKET ON THE LIGHT



WORKING DISTANCE ADJUSTMENT:
4x M4X6 (CHC SCREWS INCLUDED)

CAMERA MOUNTING HOLES:
4x M3 (SCREWS NOT INCLUDED)



LIGHT MOUNTING HOLES:
RING/SDOME/FD : 4x M4X8 (CHC SCREWS INCLUDED)
FD (D>39) : 4x M4X10 (CHC SCREWS NOT INCLUDED)

EFFM-1-0024-STEEL-V2





EFFM-1-0026-STEEL-V2

COGNEX IN-SIGHT 8000 V2

CAMERA COGNEX IN-SIGHT 8000 V2				1 Rue de Terre Neuve Mini Parc du Verger Bâtiment E 91940 Les Ulis, France	
Designation EFFM-1-VERT-STEEL-V2				Mail: sales@effilux.fr Tel : +33 9 72 52 70 03 www.effilux.com	
Revision /		Date 16/11/2023	Unit : mm 	General Tolerances ISO 2768 - fH-E	
Scale 1:2	Size A3	Page 6/27			

QUICK INSTRUCTION GUIDE

- 1-MOUNT THE CAMERA ON THE EFFM-1-0026-STEEL-V2
- 2-MOUNT THE 2 PARTS TOGETHER
- 3-CHOOSE YOUR WORKING DISTANCE
- 4-MOUNT THE BRACKET ON THE LIGHT






CAMERA MOUNTING HOLES:
4x M3 (SCREWS NOT INCLUDED)

DETAIL 7
SCALE 1 : 1


CAMERA				1 Rue de Terre Neuve Mini Parc du Verger Bâtiment E 91940 Les Ulis, France	
COGNEX IN-SIGHT MICRO 2 3D					
Designation				Mail: sales@effilux.fr Tel : +33 9 72 52 70 03 www.effilux.com	
EFFM-1-VERT-STEEL-V2					
Revision /		Date 16/11/2023	Unit : mm	General Tolerances	
Scale 1:2	Size A3	Page 7/27		ISO 2768 - fH-E	

QUICK INSTRUCTION GUIDE


- 1-MOUNT THE CAMERA ON THE EFFM-1-0026-STEEL-V2
- 2-MOUNT THE 2 PARTS TOGETHER
- 3-CHOOSE YOUR WORKING DISTANCE
- 4-MOUNT THE BRACKET ON THE LIGHT



WORKING DISTANCE ADJUSTMENT:
4x M4X6 (CHC SCREWS INCLUDED)



CAMERA MOUNTING HOLES:
2x M4 (SCREWS NOT INCLUDED)






CAMERA				1 Rue de Terre Neuve Mini Parc du Verger Bâtiment E 91940 Les Ulis, France	
DALSA BOA					
Designation				Mail: sales@effilux.fr Tel : +33 9 72 52 70 03 www.effilux.com	
EFFM-1-VERT-STEEL-V2					
Revision /		Date 16/11/2023	Unit : mm	General Tolerances	
Scale 1:2	Size A3	Page 8/27		ISO 2768 - fH-E	

THIS DOCUMENT AND THE INFORMATION IT CONTAINS ARE PROPERTY OF EFFILUX AND CONFIDENTIAL. THEY SHALL NOT BE REPRODUCED NOR DISCLOSED TO ANY PERSON EXCEPT TO THOSE HAVING A NEED TO KNOW THEM WITHOUT PRIOR WRITTEN CONSENT OF EFFILUX


CE DOCUMENT ET LES INFORMATIONS QU'IL CONTIENT SONT CONFIDENTIELS ET SONT LA PROPRIÉTÉ EXCLUSIVE DE EFFILUX. ILS NE DOIVENT ÊTRE COMMUNIQUÉS QU'ÀUX PERSONNES AYANT A EN CONNAÎTRE ET NE PEUVENT ÊTRE REPRODUITS NI DIVULGUÉS À TOUTE AUTRE PERSONNE SANS AUTORISATION PRÉALABLE ÉCRITE PAR EFFILUX

QUICK INSTRUCTION GUIDE


- 1-MOUNT THE CAMERA ON THE EFFM-1-0026-STEEL-V2
- 2-MOUNT THE 2 PARTS TOGETHER
- 3-CHOOSE YOUR WORKING DISTANCE
- 4-MOUNT THE BRACKET ON THE LIGHT



CAMERA MOUNTING HOLES:
2x M4 (SCREWS NOT INCLUDED)







WORKING DISTANCE ADJUSTMENT:
4x M4X6 (CHC SCREWS INCLUDED)



CAMERA				1 Rue de Terre Neuve Mini Parc du Verger Bâtiment E 91940 Les Ulis, France	
DALSA BOA2					
Designation				Mail: sales@effilux.fr Tel : +33 9 72 52 70 03 www.effilux.com	
EFFM-1-VERT-STEEL-V2					
Revision /		Date 16/11/2023	Unit : mm	General Tolerances	
Scale 1:2	Size A3	Page 9/27		ISO 2768 - fH-E	

QUICK INSTRUCTION GUIDE

- 1-MOUNT THE CAMERA ON THE EFFM-1-0026-STEEL-V2
- 2-MOUNT THE 2 PARTS TOGETHER
- 3-CHOOSE YOUR WORKING DISTANCE
- 4-MOUNT THE BRACKET ON THE LIGHT



EFFM-1-0026-STEEL-V2

LIGHT MOUNTING HOLES:
RING/SDOME/FD : 4x M4X8 (CHC SCREWS INCLUDED)
FD (D>39) : 4x M4X10 (CHC SCREWS NOT INCLUDED)

WORKING DISTANCE ADJUSTMENT:
4x M4X6 (CHC SCREWS INCLUDED)




CAMERA MOUNTING HOLES:
3x M4 (SCREWS NOT INCLUDED)

DETAIL 10
SCALE 1 : 1


CAMERA				1 Rue de Terre Neuve Mini Parc du Verger Bâtiment E 91940 Les Ulis, France	
DALSA FALCONE2					
Designation				Mail: sales@effilux.fr Tel : +33 9 72 52 70 03 www.effilux.com	
EFFM-1-VERT-STEEL-V2					
Revision /		Date 16/11/2023	Unit : mm 	General Tolerances ISO 2768 - fH-E	
Scale 1:2	Size A3	Page 10/27			

QUICK INSTRUCTION GUIDE

- 1-MOUNT THE CAMERA ON THE EFFM-1-0026-STEEL-V2
- 2-MOUNT THE 2 PARTS TOGETHER
- 3-CHOOSE YOUR WORKING DISTANCE
- 4-MOUNT THE BRACKET ON THE LIGHT



WORKING DISTANCE ADJUSTMENT:
4x M4X6 (CHC SCREWS INCLUDED)




CAMERA MOUNTING HOLES:
3x M3 (SCREWS NOT INCLUDED)

DETAIL 11
SCALE 1 : 1

CAMERA				1 Rue de Terre Neuve Mini Parc du Verger Bâtiment E 91940 Les Ulis, France	
DALSA FALCONE4					
Designation				Mail: sales@effilux.fr Tel : +33 9 72 52 70 03 www.effilux.com	
EFFM-1-VERT-STEEL-V2					
Revision /		Date 16/11/2023	Unit : mm	General Tolerances	
Scale 1:2	Size A3	Page 11/27		ISO 2768 - fH-E	

QUICK INSTRUCTION GUIDE




- 1-MOUNT THE CAMERA ON THE EFFM-1-0026-STEEL-V2
- 2-MOUNT THE 2 PARTS TOGETHER
- 3-CHOOSE YOUR WORKING DISTANCE
- 4-MOUNT THE BRACKET ON THE LIGHT




LIGHT MOUNTING HOLES:
RING/SDOME/FD : 4x M4X8 (CHC SCREWS INCLUDED)
FD (D>39) : 4x M4X10 (CHC SCREWS NOT INCLUDED)

CAMERA MOUNTING HOLES:
2x M5 (SCREWS NOT INCLUDED)

DETAIL 12
SCALE 1 : 1



WORKING DISTANCE ADJUSTMENT:
4x M4X6 (CHC SCREWS INCLUDED)




CAMERA				1 Rue de Terre Neuve Mini Parc du Verger Bâtiment E 91940 Les Ulis, France	
DATALOGIC MX-E				Mail: sales@effilux.fr Tel : +33 9 72 52 70 03 www.effilux.com	
Designation					
EFFM-1-VERT-STEEL-V2					
Revision /		Date 16/11/2023	Unit : mm	General Tolerances	
Scale 1:2	Size A3	Page 12/27		ISO 2768 - fH-E	

THIS DOCUMENT AND THE INFORMATION IT CONTAINS ARE PROPERTY OF EFFILUX AND CONFIDENTIAL. THEY SHALL NOT BE REPRODUCED NOR DISCLOSED TO ANY PERSON EXCEPT TO THOSE HAVING A NEED TO KNOW THEM WITHOUT PRIOR WRITTEN CONSENT OF EFFILUX

CE DOCUMENT ET LES INFORMATIONS QU'IL CONTIENT SONT CONFIDENTIELS ET SONT LA PROPRIETE EXCLUSIVE DE EFFILUX. ILS NE DOIVENT ETRE COMMUNIQUEES QU'AUX PERSONNES AYANT A EN CONNAITRE ET NE PEUVENT ETRE REPRODUITS NI DIVULGUES A TOUTE AUTRE PERSONNE SANS AUTORISATION PREALABLE ECRITE PAR EFFILUX



QUICK INSTRUCTION GUIDE

- 1-MOUNT THE CAMERA ON THE EFFM-1-0026-STEEL-V2
- 2-MOUNT THE 2 PARTS TOGETHER
- 3-CHOOSE YOUR WORKING DISTANCE
- 4-MOUNT THE BRACKET ON THE LIGHT




DATALOGIC PPT M1XX SERIES


LIGHT MOUNTING HOLES:
RING/SDOME/FD : 4x M4X8 (CHC SCREWS INCLUDED)
FD (D>39) : 4x M4X10 (CHC SCREWS NOT INCLUDED)



WORKING DISTANCE ADJUSTMENT:
4x M4X6 (CHC SCREWS INCLUDED)



CAMERA MOUNTING HOLES:
2x M4 (SCREWS NOT INCLUDED)




DETAIL 13
SCALE 1 : 1

CAMERA				1 Rue de Terre Neuve Mini Parc du Verger Bâtiment E 91940 Les Ulis, France	
DATALOGIC PPT M1XX SERIES					
Designation				Mail: sales@effilux.fr Tel : +33 9 72 52 70 03 www.effilux.com	
EFFM-1-VERT-STEEL-V2					
Revision /		Date 16/11/2023	Unit : mm	General Tolerances	
Scale 1:2	Size A3	Page 13/27		ISO 2768 - fH-E	



QUICK INSTRUCTION GUIDE

- 1-MOUNT THE CAMERA ON THE EFFM-1-0026-STEEL-V2
- 2-MOUNT THE 2 PARTS TOGETHER
- 3-CHOOSE YOUR WORKING DISTANCE
- 4-MOUNT THE BRACKET ON THE LIGHT





LIGHT MOUNTING HOLES:
RING/SDOME/FD : 4x M4X8 (CHC SCREWS INCLUDED)
FD (D>39) : 4x M4X10 (CHC SCREWS NOT INCLUDED)

CAMERA MOUNTING HOLES:
4x M3 (SCREWS NOT INCLUDED)




WORKING DISTANCE ADJUSTMENT:
4x M4X6 (CHC SCREWS INCLUDED)



CAMERA				1 Rue de Terre Neuve Mini Parc du Verger Bâtiment E 91940 Les Ulis, France	
DATALOGIC PPT M2XX SERIES					
Designation				Mail: sales@effilux.fr Tel : +33 9 72 52 70 03 www.effilux.com	
EFFM-1-VERT-STEEL-V2					
Revision /		Date 16/11/2023	Unit : mm	General Tolerances	
Scale 1:2	Size A3	Page 14/27		ISO 2768 - fH-E	

QUICK INSTRUCTION GUIDE

- 1-MOUNT THE CAMERA ON THE EFFM-1-0026-STEEL-V2
- 2-MOUNT THE 2 PARTS TOGETHER
- 3-CHOOSE YOUR WORKING DISTANCE
- 4-MOUNT THE BRACKET ON THE LIGHT





DATALOGIC PPT M3XX SERIES


LIGHT MOUNTING HOLES:
RING/SDOME/FD : 4x M4X8 (CHC SCREWS INCLUDED)
FD (D>39) : 4x M4X10 (CHC SCREWS NOT INCLUDED)

CAMERA MOUNTING HOLES:
4x M3 (SCREWS NOT INCLUDED)

DETAIL 15
SCALE 1 : 1



WORKING DISTANCE ADJUSTMENT:
4x M4X6 (CHC SCREWS INCLUDED)



CAMERA
DATALOGIC PPT M3XX SERIES

Designation
EFFM-1-VERT-STEEL-V2

Revision
/

Scale
1:2

Date
16/11/2023

Size
A3

Page
15/27

Unit : mm

ISO 2768 - fH-E

General Tolerances




1 Rue de Terre Neuve
Mini Parc du Verger
Bâtiment E
91940 Les Ulis, France

Mail: sales@effilux.fr
Tel : +33 9 72 52 70 03
www.effilux.com


effilux
Efficient
Led Lighting

QUICK INSTRUCTION GUIDE

- 1-MOUNT THE CAMERA ON THE EFFM-1-0026-STEEL-V2
- 2-MOUNT THE 2 PARTS TOGETHER
- 3-CHOOSE YOUR WORKING DISTANCE
- 4-MOUNT THE BRACKET ON THE LIGHT



WORKING DISTANCE ADJUSTMENT:
4x M4X6 (CHC SCREWS INCLUDED)






CAMERA MOUNTING HOLES:
4x M3 (SCREWS NOT INCLUDED)

DETAIL 16
SCALE 1 : 1


CAMERA IDS GIGE CP		1 Rue de Terre Neuve Mini Parc du Verger Bâtiment E 91940 Les Ulis, France	
Designation EFFM-1-VERT-STEEL-V2		Mail: sales@effilux.fr Tel : +33 9 72 52 70 03 www.effilux.com	
Revision /	Date 16/11/2023	Unit : mm	General Tolerances
Scale 1:2	Size A3	Page 16/27	ISO 2768 - fH-E
			

QUICK INSTRUCTION GUIDE

- 1-MOUNT THE CAMERA ON THE EFFM-1-0026-STEEL-V2
- 2-MOUNT THE 2 PARTS TOGETHER
- 3-CHOOSE YOUR WORKING DISTANCE
- 4-MOUNT THE BRACKET ON THE LIGHT



WORKING DISTANCE ADJUSTMENT:
4x M4X6 (CHC SCREWS INCLUDED)






CAMERA MOUNTING HOLES:
4x M3 (SCREWS NOT INCLUDED)

DETAIL 17
SCALE 1 : 1

CAMERA				1 Rue de Terre Neuve Mini Parc du Verger Bâtiment E 91940 Les Ulis, France	
IDS RIO AND ROME					
Designation				Mail: sales@effilux.fr Tel : +33 9 72 52 70 03 www.effilux.com	
EFFM-1-VERT-STEEL-V2					
Revision /		Date 16/11/2023	Unit : mm	General Tolerances	
Scale 1:2	Size A3	Page 17/27		ISO 2768 - fH-E	

CE DOCUMENT ET LES INFORMATIONS QU'IL CONTIENT SONT CONFIDENTIELS ET SONT LA PROPRIÉTÉ EXCLUSIVE DE EFFILUX. ILS NE DOIVENT ÊTRE COMMUNIQUÉS QU'ÀUX PERSONNES AYANT À EN CONNAÎTRE ET NE PEUVENT ÊTRE REPRODUITS NI DIVULGUÉS À TOUTE AUTRE PERSONNE SANS AUTORISATION PRÉALABLE ÉCRITE PAR EFFILUX.

- 1-MOUNT THE CAMERA ON THE EFFM-1-0026-STEEL-V2
- 2-MOUNT THE 2 PARTS TOGETHER
- 3-CHOOSE YOUR WORKING DISTANCE
- 4-MOUNT THE BRACKET ON THE LIGHT




DETAIL 18
SCALE 1 : 1

WORKING DISTANCE ADJUSTMENT:
4x M4X6 (CHC SCREWS INCLUDED)

CAMERA				1 Rue de Terre Neuve Mini Parc du Verger Bâtiment E 91940 Les Ulis, France	
IDS USB3-CP					
Designation				Mail: sales@effilux.fr Tel : +33 9 72 52 70 03 www.effilux.com	
EFFM-1-VERT-STEEL-V2					
Revision /		Date 16/11/2023		Unit : mm	
Scale 1:2		Size A3		General Tolerances	
Page 18/27				ISO 2768 - fH-E	
					

QUICK INSTRUCTION GUIDE



- 1-MOUNT THE CAMERA ON THE EFFM-1-0026-STEEL-V2
- 2-MOUNT THE 2 PARTS TOGETHER
- 3-CHOOSE YOUR WORKING DISTANCE
- 4-MOUNT THE BRACKET ON THE LIGHT



WORKING DISTANCE ADJUSTMENT:
4x M4X6 (CHC SCREWS INCLUDED)

CAMERA MOUNTING HOLES:
4x M3 (SCREWS NOT INCLUDED)


DETAIL 19
SCALE 1 : 1



LIGHT MOUNTING HOLES:
RING/SDOME/FD : 4x M4X8 (CHC SCREWS INCLUDED)
FD (D>39) : 4x M4X10 (CHC SCREWS NOT INCLUDED)

EFFM-1-0026-STEEL-V2

EFFM-1-0024-STEEL-V2






KEYENCE CA SERIES

CAMERA				1 Rue de Terre Neuve Mini Parc du Verger Bâtiment E 91940 Les Ulis, France	
KEYENCE CA SERIES					
Designation				Mail: sales@effilux.fr Tel : +33 9 72 52 70 03 www.effilux.com	
EFFM-1-VERT-STEEL-V2					
Revision /		Date 16/11/2023	Unit : mm	General Tolerances	
Scale 1:2	Size A3	Page 19/27		ISO 2768 - fH-E	


QUICK INSTRUCTION GUIDE

- 1-MOUNT THE CAMERA ON THE EFFM-1-0026-STEEL-V2
- 2-MOUNT THE 2 PARTS TOGETHER
- 3-CHOOSE YOUR WORKING DISTANCE
- 4-MOUNT THE BRACKET ON THE LIGHT



WORKING DISTANCE ADJUSTMENT:
4x M4X6 (CHC SCREWS INCLUDED)

CAMERA MOUNTING HOLES:
2x M3 (SCREWS NOT INCLUDED)



DETAIL 20
SCALE 1 : 1

EFFM-1-0026-STEEL-V2

EFFM-1-0024-STEEL-V2


LIGHT MOUNTING HOLES:
RING/SDOME/FD : 4x M4X8 (CHC SCREWS INCLUDED)
FD (D>39) : 4x M4X10 (CHC SCREWS NOT INCLUDED)

KEYENCE CVX400-300 SERIES

CAMERA				1 Rue de Terre Neuve Mini Parc du Verger Bâtiment E 91940 Les Ulis, France	
KEYENCE CVX400-300 SERIES					
Designation				Mail: sales@effilux.fr Tel : +33 9 72 52 70 03 www.effilux.com	
EFFM-1-VERT-STEEL-V2					
Revision /		Date 16/11/2023		Unit : mm	General Tolerances
Scale 1:2	Size A3	Page 20/27			ISO 2768 - fH-E
					

QUICK INSTRUCTION GUIDE




- 1-MOUNT THE CAMERA ON THE EFFM-1-0026-STEEL-V2
- 2-MOUNT THE 2 PARTS TOGETHER
- 3-CHOOSE YOUR WORKING DISTANCE
- 4-MOUNT THE BRACKET ON THE LIGHT



WORKING DISTANCE ADJUSTMENT:
4x M4X6 (CHC SCREWS INCLUDED)

CAMERA MOUNTING HOLES:
4x M3 (SCREWS NOT INCLUDED)

DETAIL 21
SCALE 1 : 1



LIGHT MOUNTING HOLES:
RING/SDOME/FD : 4x M4X8 (CHC SCREWS INCLUDED)
FD (D>39) : 4x M4X10 (CHC SCREWS NOT INCLUDED)

EFFM-1-0024-STEEL-V2


EFFM-1-0026-STEEL-V2

KEYENCE HL08M

CAMERA				1 Rue de Terre Neuve Mini Parc du Verger Bâtiment E 91940 Les Ulis, France	
KEYENCE HL08M					
Designation				Mail: sales@effilux.fr Tel : +33 9 72 52 70 03 www.effilux.com	
EFFM-1-VERT-STEEL-V2					
Revision /		Date 16/11/2023	Unit : mm	General Tolerances	
Scale 1:2	Size A3	Page 21/27		ISO 2768 - fH-E	

QUICK INSTRUCTION GUIDE




- 1-MOUNT THE CAMERA ON THE EFFM-1-0026-STEEL-V2
- 2-MOUNT THE 2 PARTS TOGETHER
- 3-CHOOSE YOUR WORKING DISTANCE
- 4-MOUNT THE BRACKET ON THE LIGHT



WORKING DISTANCE ADJUSTMENT:
4x M4X6 (CHC SCREWS INCLUDED)

CAMERA MOUNTING HOLES:
2x M4 (SCREWS NOT INCLUDED)

DETAIL 22
SCALE 1 : 1



LIGHT MOUNTING HOLES:
RING/SDOME/FD : 4x M4X8 (CHC SCREWS INCLUDED)
FD (D>39) : 4x M4X10 (CHC SCREWS NOT INCLUDED)

EFFM-1-0024-STEEL-V2


EFFM-1-0026-STEEL-V2

KEYENCE IV2-G150MA

CAMERA				1 Rue de Terre Neuve Mini Parc du Verger Bâtiment E 91940 Les Ulis, France	
KEYENCE IV2-G150MA					
Designation				Mail: sales@effilux.fr Tel : +33 9 72 52 70 03 www.effilux.com	
EFFM-1-VERT-STEEL-V2					
Revision /		Date 16/11/2023	Unit : mm	General Tolerances	
Scale 1:2	Size A3	Page 22/27		ISO 2768 - fH-E	
					

QUICK INSTRUCTION GUIDE




- 1-MOUNT THE CAMERA ON THE EFFM-1-0026-STEEL-V2
- 2-MOUNT THE 2 PARTS TOGETHER
- 3-CHOOSE YOUR WORKING DISTANCE
- 4-MOUNT THE BRACKET ON THE LIGHT



WORKING DISTANCE ADJUSTMENT:
4x M4X6 (CHC SCREWS INCLUDED)

CAMERA MOUNTING HOLES:
2x M4 (SCREWS NOT INCLUDED)

DETAIL 23
SCALE 1 : 1



LIGHT MOUNTING HOLES:
RING/SDOME/FD : 4x M4X8 (CHC SCREWS INCLUDED)
FD (D>39) : 4x M4X10 (CHC SCREWS NOT INCLUDED)

EFFM-1-0026-STEEL-V2

EFFM-1-0024-STEEL-V2


SENSOPART MK45

SENSOPART FA45 CMOUNT

CAMERA				1 Rue de Terre Neuve Mini Parc du Verger Bâtiment E 91940 Les Ulis, France	
SENSOPART FA45 CMOUNT					
Designation				Mail: sales@effilux.fr Tel : +33 9 72 52 70 03 www.effilux.com	
EFFM-1-VERT-STEEL-V2					
Revision /		Date 16/11/2023	Unit : mm	General Tolerances	
Scale 1:2	Size A3	Page 23/27		ISO 2768 - fH-E	

QUICK INSTRUCTION GUIDE




- 1-MOUNT THE CAMERA ON THE EFFM-1-0026-STEEL-V2
- 2-MOUNT THE 2 PARTS TOGETHER
- 3-CHOOSE YOUR WORKING DISTANCE
- 4-MOUNT THE BRACKET ON THE LIGHT



WORKING DISTANCE ADJUSTMENT:
4x M4X6 (CHC SCREWS INCLUDED)

CAMERA MOUNTING HOLES:
2x M4 (SCREWS NOT INCLUDED)

DETAIL 24
SCALE 1 : 1



LIGHT MOUNTING HOLES:
RING/SDOME/FD : 4x M4X8 (CHC SCREWS INCLUDED)
FD (D>39) : 4x M4X10 (CHC SCREWS NOT INCLUDED)

EFFM-1-0026-STEEL-V2

EFFM-1-0024-STEEL-V2


SENSOPART MK45

SENSOPART FA45 SMARTCAM

CAMERA				1 Rue de Terre Neuve Mini Parc du Verger Bâtiment E 91940 Les Ulis, France	
SENSOPART FA45 SMARTCAM					
Designation				Mail: sales@effilux.fr Tel : +33 9 72 52 70 03 www.effilux.com	
EFFM-1-VERT-STEEL-V2					
Revision /		Date 16/11/2023	Unit : mm	General Tolerances	
Scale 1:2	Size A3	Page 24/27		ISO 2768 - fH-E	
					

QUICK INSTRUCTION GUIDE




- 1-MOUNT THE CAMERA ON THE EFFM-1-0026-STEEL-V2
- 2-MOUNT THE 2 PARTS TOGETHER
- 3-CHOOSE YOUR WORKING DISTANCE
- 4-MOUNT THE BRACKET ON THE LIGHT



WORKING DISTANCE ADJUSTMENT:
4x M4X6 (CHC SCREWS INCLUDED)

CAMERA MOUNTING HOLES:
2x M4 (SCREWS NOT INCLUDED)

DETAIL 25
SCALE 1 : 1



LIGHT MOUNTING HOLES:
RING/SDOME/FD : 4x M4X8 (CHC SCREWS INCLUDED)
FD (D>39) : 4x M4X10 (CHC SCREWS NOT INCLUDED)

EFFM-1-0024-STEEL-V2




EFFM-1-0026-STEEL-V2

SENSOPART VISOR

CAMERA				1 Rue de Terre Neuve Mini Parc du Verger Bâtiment E 91940 Les Ulis, France	
SENSOPART VISOR				Mail: sales@effilux.fr Tel : +33 9 72 52 70 03 www.effilux.com	
Designation					
EFFM-1-VERT-STEEL-V2					
Revision /		Date 16/11/2023	Unit : mm	General Tolerances	
Scale 1:2	Size A3	Page 25/27		ISO 2768 - fH-E	
					


QUICK INSTRUCTION GUIDE

- 1-MOUNT THE CAMERA ON THE EFFM-1-0026-STEEL-V2
- 2-MOUNT THE 2 PARTS TOGETHER
- 3-CHOOSE YOUR WORKING DISTANCE
- 4-MOUNT THE BRACKET ON THE LIGHT



WORKING DISTANCE ADJUSTMENT:
4x M4X6 (CHC SCREWS INCLUDED)

CAMERA MOUNTING HOLES:
4x M3 (SCREWS NOT INCLUDED)



DETAIL 26
SCALE 1 : 1

EFFM-1-0024-STEEL-V2

EFFM-1-0026-STEEL-V2




LIGHT MOUNTING HOLES:
RING/SDOME/FD : 4x M4X8 (CHC SCREWS INCLUDED)
FD (D>39) : 4x M4X10 (CHC SCREWS NOT INCLUDED)

SICK MIDICAM SERIES

CAMERA				1 Rue de Terre Neuve Mini Parc du Verger Bâtiment E 91940 Les Ulis, France	
SICK MIDICAM SERIES					
Designation				Mail: sales@effilux.fr Tel : +33 9 72 52 70 03 www.effilux.com	
EFFM-1-VERT-STEEL-V2					
Revision /		Date 16/11/2023		Unit : mm	General Tolerances
Scale 1:2	Size A3	Page 26/27			
				ISO 2768 - fH-E	


QUICK INSTRUCTION GUIDE

- 1-MOUNT THE CAMERA ON THE EFFM-1-0026-STEEL-V2
- 2-MOUNT THE 2 PARTS TOGETHER
- 3-CHOOSE YOUR WORKING DISTANCE
- 4-MOUNT THE BRACKET ON THE LIGHT



WORKING DISTANCE ADJUSTMENT:
4x M4X6 (CHC SCREWS INCLUDED)

CAMERA MOUNTING HOLES:
4x M3 (SCREWS NOT INCLUDED)



DETAIL 27
SCALE 1 : 1

LIGHT MOUNTING HOLES:
RING/SDOME/FD : 4x M4X8 (CHC SCREWS INCLUDED)
FD (D>39) : 4x M4X10 (CHC SCREWS NOT INCLUDED)

EFFM-1-0024-STEEL-V2

EFFM-1-0026-STEEL-V2

SICK PICOCAM SERIES

CAMERA				1 Rue de Terre Neuve Mini Parc du Verger Bâtiment E 91940 Les Ulis, France	
SICK PICOCAM SERIES					
Designation				Mail: sales@effilux.fr Tel : +33 9 72 52 70 03 www.effilux.com	
EFFM-1-VERT-STEEL-V2					
Revision /		Date 16/11/2023	Unit : mm	General Tolerances	
Scale 1:2	Size A3	Page 27/27		ISO 2768 - fH-E	